L Number	Hits	Search Text	DB	Time stamp
- NUMBEL	0	(("(monitor\$4ormeasur\$6oranaly\$5orevaluat\$	5uspatil\$4)	n20114/(pe/1000rm\$5orprocess
		or ("log\$1ortrac\$3orprofil\$3)andagent\$1")).PN	US-PGPUB; .EPO; JPO; DERWENT; IBM TDB	10:41
_	14606	<pre>(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same (</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/05 11:48
-	1698	log\$1 or trac\$3 or profil\$3) and agent\$1 agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same (	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/03 10:45
-	784	log\$1 or trac\$3 or profil\$3) (agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same ( log\$1 or trac\$3 or profil\$3) ) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 10:47
-	1715	agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same ( log\$1 or trac\$3 or profil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03
-	724	(agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same ( log\$1 or trac\$3 or profil\$3) ) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:46
-	268	(contract\$3 or agreement\$1 or rule\$1) ((agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service\$41) same ( log\$1 or trac\$3 or profil\$3) ) and (contract\$3 or agreement\$1 or rule\$1)) and (@ad<19990331 or @rlad<19990331 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:32
_	4	<pre>@prad&lt;19990331)  (((agent\$1 same(monitor\$4 or measur\$6 or     analy\$5 or evaluat\$5 or profil\$4 or     assess\$5) near5 (perform\$5 or process\$2     or resource\$1 or instance\$1 or service41)     same (     log\$1 or trac\$3 or profil\$3) ) and     (contract\$3 or agreement\$1 or rule\$1))     and (@ad&lt;19990331 or @rlad&lt;19990331 or     @prad&lt;19990331)) and (british.asn. or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:46
	604	bt.asn.) agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same (	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:51
_	265	log\$1 or trac\$3 ) (agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same ( log\$1 or trac\$3 ) ) and (contract\$3 or agreement\$1 or rule\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:46

-	0	((agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service\$1) same (	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03
		<pre>log\$1 or trac\$3 )  ) and (contract\$3 or agreement\$1 or rule\$1)) and (british.asn. or bt.asn.)</pre>		
-	97	·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03
-	1153	or @rlad<19990331 or @prad<19990331) (cui.in. or schroeder.in. or odgers.in.) and agent\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 12:04
_	2	(cui.in. or schroeder.in. or odgers.in.) and agent\$1 and (contract\$3 or sla) and monitor\$4 same manage\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 12:05
_	6000	<pre>(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same ( log\$1 or trac\$3 ) and resource\$1</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 12:52
-	1363	<pre>(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same ( log\$1 or trac\$3 ) same resource\$1</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03
-	501	((monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same (log\$1 or trac\$3) same resource\$1 and (@ad<19990331 or @rlad<19990331 or @prad<19990331)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 14:06
_	106	(((monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same (log\$1 or trac\$3 ) same resource\$1 ) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)) and process near4 manage\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:26
-	660	(((monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41 or agent\$1 or task\$1 or flow\$1) same (log\$1 or trac\$3) and resource\$1) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)) and process near4 manage\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:28
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:30

Search History 8/5/04 7:38:42 AM

## BEST AVAILABLE COPY

			0004/00/00
-	<pre>((((monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41 or agent\$1 or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/03 14:31
	task\$1 or flow\$1) same ( log\$1 or trac\$3 ) and resource\$1 ) and (@ad<19990331 or @rlad<19990331 or	IBM_TDB	
-	@prad<19990331)) and process near4 manage\$5) and aurora ((((monitor\$4 or measur\$6 or analy\$5 or	USPAT;	2004/08/03
	evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41 or agent\$1 or task\$1 or flow\$1) same (	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	14:31
	log\$1 or trac\$3 ) and resource\$1 ) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)) and process near4 manage\$5) and marazakis.in.		
- 26	<pre>((agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41) same (</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/03 14:54
	log\$1 or trac\$3 or profil\$3) ) and (contract\$3 or agreement\$1 or rule\$1)) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)	IBM_TDB	
- 62	evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41 or agent\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/03 14:33
	task\$1 or flow\$1) same ( log\$1 or trac\$3 ) and resource\$1 ) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)) and process near4	IBM_TDB	
	manage\$5) not ( ((agent\$1 same(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or instance\$1 or		
	service41) same ( log\$1 or trac\$3 or profil\$3) ) and (contract\$3 or agreement\$1 or rule\$1)) and (@ad<19990331 or @rlad<19990331 or		
- 11	evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2 or resource\$1 or	USPAT; US-PGPUB; EPO; JPO;	2004/08/03 14:33
	instance\$1 or service41 or agent\$1 or task\$1 or flow\$1) same ( log\$1 or trac\$3 ) and resource\$1 ) and (@ad<19990331 or @rlad<19990331 or	DERWENT; IBM_TDB	
	<pre>@prad&lt;19990331)) and process near4 manage\$5) not ( ((agent\$1 same(monitor\$4   or measur\$6 or analy\$5 or evaluat\$5 or   profil\$4 or assess\$5) near5 (perform\$5 or   process\$2 or resource\$1 or instance\$1 or</pre>		
	service41) same ( log\$1 or trac\$3 or profil\$3) ) and (contract\$3 or agreement\$1 or rule\$1)) and (@ad<19990331 or @rlad<19990331 or		
- 857	@prad<19990331))) and (sla or contract\$3)	USPAT; US-PGPUB; EPO; JPO;	2004/08/03 14:55
	(log\$1 or trac\$3 or profil\$3) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)	DERWENT; IBM_TDB	

Page 3

	· · · · · · · · · · · · · · · · · · ·	4. 4. 4.	HODAM	2004/09/02
-	2232	<pre>(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5</pre>	USPAT; US-PGPUB;	2004/08/03 14:56
		(contract\$3 or agreement\$1 or rule\$1)	EPO; JPO; DERWENT;	
		(log\$1 or trac\$3 or profil\$3) and (@ad<19990331 or @rlad<19990331 or	IBM_TDB	
		@prad<19990331)		
-	1133	(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (contract\$3 or agreement\$1 or sla) same	USPAT; US-PGPUB; EPO; JPO;	2004/08/03 14:56
		(log\$1 or trac\$3 or profil\$3) and (@ad<19990331 or @rlad<19990331 or @prad<19990331)	DERWENT; IBM_TDB	
_	947	(monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (contract\$3 or agreement\$1 or sla) same (log\$1 or trac\$3 or profil\$3) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/03 14:57
		(@ad<19990331 or @rlad<19990331 or @prad<19990331) and (perform\$5 or process\$2 or resource\$1 or instance\$1 or service41)	IBM_TDB	
_	944	((monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (contract\$3 or agreement\$1 or sla) same	USPAT; US-PGPUB; EPO; JPO;	2004/08/03 14:57
		(log\$1 or trac\$3 or profil\$3) and (@ad<19990331 or @rlad<19990331 or @prad<19990331) and (perform\$5 or	DERWENT; IBM_TDB	
		process\$2 or resource\$1 or instance\$1 or service41)) not (((monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5 (perform\$5 or process\$2		
		or resource\$1 or instance\$1 or service41 or agent\$1 or task\$1 or flow\$1) same ( log\$1 or trac\$3 ) and resource\$1 ) and (@ad<19990331 or @rlad<19990331 or		
		@prad<19990331)) and process near4		
_	219	<pre>manage\$5) (monitor\$4 or measur\$6 or analy\$5 or evaluat\$5 or profil\$4 or assess\$5) near5</pre>	USPAT; US-PGPUB;	2004/08/04 09:35
		(contract\$3 or agreement\$1 or sla) same (log\$1 or trac\$3 or profil\$3) same (perform\$5 or process\$2 or resource\$1 or	EPO; JPO; DERWENT; IBM_TDB	
		instance\$1 or service41) and (@ad<19990331 or @rlad<19990331)		
_	2	"6681392"	USPAT; US-PGPUB;	2004/08/04
			EPO; JPO; DERWENT;	10.41
_	3	"5956029"	IBM_TDB USPAT; US-PGPUB;	2004/08/04
			EPO; JPO; DERWENT; IBM TDB	

BEST AVAILABLE COPY